

Receiving Report

Date: 12/2/10
 Supplier: T.W. Metal

Batch No: M/20659
 Dart P/O: 16126

Packing Slip: Yes ✓ No
 Invoice: Yes No
 Receipt: Cash Cr ✓

Release Note Attached: Yes ✓ No N/A
 Waybill Attached: Yes ✓ No N/A
 Shipment Complete: Yes ✓ No N/A
 QC6 Inspection ✓ N/A
 Work Order 120413 N/A ✓

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 12/2/10
 Date
 Received/Costing
 Initial

Location

Page 1 of 1

All amounts are calculated in domestic currency.

Grouped by Vendor ID

[illegible]

DART Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER
Purchase Order ID PO16126
Purchase Order Date 2/07/12
PO Print Date 2/07/12
Page Number 1 of 1

Order From :

TW METALS
PO BOX 933014
ALANTA, GA 31193-3014
US

Contact Name

Vendor Phone
585 768 5600

Vendor Fax

585 768 5601

Vendor Account Nbr

Buyer

Requisition Nbr

Tax Resale Nbr

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Ship To :

Line Nbr Reference

Revision ID

Vendor Part Number

Description/
Mfg ID

Reg Date/
Taxable

Reg Qty/
Unit of Measure

Ship Method

Unit Price

Extended
Price

2

M6061T6T0.3125W.058

ALUM TUBE .3125 x

.058w

2/10/12

100.00 Yours ppd

\$2.2000

\$220.00

Special Inst:

MATERIAL: AISI 304/316 SS SEAMLESS

ROUND TUBING
AS PER ASTM A213 OR ASME SA213 OR
ASTM A269

2/10/12

48.00 Yours ppd

\$2.7500

\$132.00

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62

TUBING PER W/W-T-700/6 OR AMS 4080

OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8

Yes

f

PO Total:

\$352.00

MATERIAL CERTIFICATION
REQD UPON DELIVERY

Change Nbr: 1

Change Date: 2/07/12

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable



PACKING SLIP

ORDER NO.: 60461011 FROM: CRAN PAGE 2

CUST NUMBER: 1203820 NET WGT: 35.755 REQ. DATE: 02/10/12 CONFIRMED

SOLD TO:

DART AEROSPACE LTD

1270 ABERDEEN ST

HAWKESBURY ON

CANADA

SALESPERSON: DONNA SMALLEY

TERMS: NET 30 DAYS

F.O.B.: SHIPPING POINT

CUST ORD NO.: P016126

RECEIVING PHONE:

RELEASE NO.:

FRIGHT: VIA: DISTRICT: CRANBURY

COMMON CARRIER PREPAID

LENGTH WIDTH

CN K6A 1K7

ONTARIO CANADA

HAWKESBURY ON

1270 ABERDEEN ST

DART AEROSPACE LTD

SHIP TO:

35.755 REQ. DATE: 02/10/12 CONFIRMED

FROM: CRAN

PAGE 2

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE
OF THESE PRODUCTS ARE SET FORTH ON THE
REVERSE SIDE FOR YOUR CAREFUL REVIEW.

DATE FILLED

DATE SHIPPED



PACKING SLIP

ORDER NO.: 60461011 FROM: CRAN PAGE 3

CUST NUMBER: 1203820 NET WT: 35.755 REQ. DATE: 02/10/12 CONFIRMED

SOLD TO:

DART AEROSPACE LTD

1270 ABERDEEN ST

HAWKSBURY ON

CANADA

SALESPERSON: DONNA SMALLEY

TERMS: NET 30 DAYS

F.O.B.: SHIPPING POINT

CUST ORD NO.: PO16126

VIA: COMMON CARRIER

PREPAID

RELEASE NO.:

RECEIVING PHONE:

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for confireous non-manufactured wood packing material"

Electronically Generated Certificate-Valid without signature Date: 2/09/12

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administration regulations. Diversion contrary to U.S. law prohibited.

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.



Precision Tube Company

A Mueller Industries Company
287 Wissahickon Avenue
North Wales, Pennsylvania 19454
Phone: (215) 699-5801 - Fax: (215) 699-0761

Quality Management System Registered to ISO 9001: 2008
CERTIFICATION AND TEST REPORTS

CUSTOMER PURCHASE ORDER NO.

49257977 LINE 002

CUST. ORD. NO.

334781

PRECISION TUBE P/N

24A031250580005

SOLD

TW METALS
SUITE 204

TO
760 CONSTITUTION DR.
EXTON, PA 19341

SHIP

TW METALS - CRANBURY
27 ENGLEHARD DRIVE
MONROE TWP, NJ 08831

QUANTITY

3,600 FT

DESCRIPTION

METAL - 6061 ALUM


QTY SHIPPED

3,960 FT

DATE SHIPPED

08/18/11

TEMPER - T6
SPEC - AMS 4082P
ASTM-B-210-04 AMS-WW-T-700/6B
LENGTH - 12 FT
LGTH TOL +.1250 IN -.0000 IN
SHAPE - ROUND
FINISH - STRAIGHT EXACT LENGTHS
OD .3125 +.0030 -.0030
ID
WALL .0580 +.0040 -.0040



SAMPLE #

1

TENSILE
STRENGTH
(P.S.I.)

44,859

YIELD
STRENGTH
(P.S.I.)

39,940

ELONGATION
IN 2 INCHES
(%)

16

ROCKWELL
HARDNESS

AVERAGE
GRAIN SIZE
(MM.)

EXPANSION TEST:

MERCURIUS NITRATE TEST:

MICRO EXAMINATION:

Country of Mfg: USA Country of Mfg: USA

DFARS BAA ☒ Complies

Cannot Certify Compliance

EDDY CURRENT TEST: PASS

HYDROSTATIC PRESSURE TEST:

ULTRASONIC TEST:

CHEMICAL COMPOSITION

ALLOY: 6061 HEAT:

TRACEABILITY #:

544888

RAW MATL VEND:

PT18522 - Kaiser Aluminum
Other - Elements Al

MIN. 0.40

Fe

0.70

0.40

0.15

1.20

0.35

0.25

0.15

0.05

0.15

MAX. 0.80

Si

Cu

Mn

Mg

Cr

Zn

Ti

Each

Tot

Rem.

We hereby certify that the foregoing results are correct, that the material complies with the requirements of the above specifications and purchase order and that the test reports represent the actual attributes of the items furnished on this order. During the manufacturing, testing and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employed a single boundary containment.

BY: Art Onatidis

08/18/11

Control No: 142065

Domestic Melt Source

Ron Walls
General Manager

ASTM-B241-02
ASTM-B221-08
ASTM-B345-02
AMS-QQ-A-200/8 TYPE 1
UNS#96061
ACTUAL CHEMISTRY
Also conforms to EN 10204 3.1


Applicable Requirements:

Kaiser Aluminum Fabricated Products, LLC
hereby certifies that metal shipped under
this order has been inspected and tested
and found in conformance with the applicable
specifications forming a part of the descrip-
tion set forth in Kaiser's sales acknowledge-
ment form. Any warranty is limited to that
shown on Kaiser's general terms & conditions
of sale. Test reports are on file, subject
to examination.

REFERENCE	SAMPLE#	UTS (KSI)	YTS (KSI)	%Elong in 2"	HARDNESS	CONDUCT.	BEND
50751 187	0001 001	17.3	5.3	28.0	NA N/A	N/A	N/A
50751 187	0001 002	17.0	5.2	27.2	NA N/A	N/A	N/A
50751 187	0001 003	16.9	5.2	26.6	NA N/A	N/A	N/A
50751 187	0001 004	17.1	5.3	26.3	NA N/A	N/A	N/A
50751 187	0001 005	16.8	5.1	27.0	NA N/A	N/A	N/A
50751 187	0001 006	17.3	5.2	26.8	NA N/A	N/A	N/A
50751 187	0001 007	16.6	4.9	27.1	NA N/A	N/A	N/A
50751 187	0001 008	17.1	5.1	27.3	NA N/A	N/A	N/A
50751 187	0001 009	17.1	5.0	28.1	NA N/A	N/A	N/A
50751 187	0001 010	17.3	5.4	27.1	NA N/A	N/A	N/A
50751 187	0001 011	16.5	5.0	28.2	NA N/A	N/A	N/A
50751 187	0001 012	17.0	5.2	27.5	NA N/A	N/A	N/A
50751 187	0001 013	17.2	5.2	27.6	NA N/A	N/A	N/A
50751 187	0001 014	16.7	5.1	29.5	NA N/A	N/A	N/A
50751 187	0001 015	17.0	5.1	27.2	NA N/A	N/A	N/A
50751 187	0001 016	16.5	4.5	26.9	NA N/A	N/A	N/A

MECHANICAL PROPERTY RESULTS

312510-001	RELEASE-ITEM	50751 187	LOT	6061-O	ALLOY/TEMPER
SPRINT-352567					
CUSTOMER PART NUMBER					
DESCRIPTION					
1.312 OD X .085 WALL ESRT					
5.4#/PC +.500#/-0#					
PURCHASE ORDER					
DATE PRINTED					



PA 19454	PT18522	PURCHASE ORDER	DATE PRINTED	07/06/11
PRECISION TUBE CO				
N. WALLS				
SOLD TO				
KAISER ALUMINUM				
FABRICATED PRODUCTS, LLC				
2425 STEVENS DRIVE				
RICHLAND, WA 99352				
PRECISION TUBE CO				
287 WISSAHICKON AVENUE				
N. WALLS, PA 19454				

Domestic Melt Source

Ron Walls
General Manager

Ron Walls

SIGNED

ASTM-B241-02
ASTM-B221-08
ASTM-B345-02
AMS-QQ-A-200/8 TYPE 1
UNS#96061
ACTUAL CHEMISTRY
Also conforms to EN 10204 3.1

Applicable Requirements:

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgment form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file, subject to examination.

CHEMICAL COMPOSITION (WT%), ALUMINUM REMAINDER																																						
6061 LIMITS																																						
Maximum								Minimum								Others																						
Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ba	Tot	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ba	Tot	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ba	Tot
0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15	0.40	0.70	0.15	0.00	0.80	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.02	0.05	0.98	0.08	0.06	0.03	0.00	0.00	0.01	0.02		
0.64	0.32	0.24	0.05	0.97	0.08	0.06	0.02	0.00	0.00	0.00	0.01	0.02	0.64	0.32	0.24	0.05	0.97	0.08	0.06	0.02	0.00	0.00	0.00	0.01	0.02	0.02	0.05	0.98	0.08	0.06	0.03	0.00	0.00	0.01	0.02			
Cast No																																						
F69402 01																F69402 01																						
F69396 01																F69396 01																						
F69400 01																F69400 01																						
F69294 01																F69294 01																						
F69287 01																F69287 01																						

SOLD TO	PRECISION TUBE CO	PA 19454	PT18522	PURCHASE ORDER	DATE PRINTED	07/06/11
SOLD TO	N. WALES	PA 19454	PT18522	PURCHASE ORDER	DATE PRINTED	07/06/11
CUSTOMER PART NUMBER	312510-001	RELEASE-ITEM	50751 187	LOT	6061-O	ALLOY/TEMPER
DESCRIPTION	1.312 OD X .085 WALL ESRT	5.4#/PC +.500#/-0#	1.312 OD X .085 WALL ESRT	DESCRIPTION	6061-O	ALLOY/TEMPER
PURCHASE ORDER	DATE PRINTED	07/06/11	DATE PRINTED	07/06/11	DATE PRINTED	07/06/11



Kaiser Aluminum
Material Certification
Precision Tube Co
287 Missahickon Avenue
N. Wales, PA 19454
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352
PRECISION TUBE CO
N. WALES
PA 19454
PT18522
PURCHASE ORDER
DATE PRINTED
07/06/11

Precision Tube Company

A Mueller Industries Company

287 Wissahickon Avenue
North Wales, Pennsylvania 19454

Phone: (215) 699-5801 - Fax: (215) 699-0761

Quality Management System Registered to ISO 9001: 2008
CERTIFICATION AND TEST REPORTS




Control No: 145176

CUSTOMER PURCHASE ORDER NO. 49261460 LINE 002		CUST. ORD. NO. 334821	PRECISION TUBE P/N 24A031250580005
---	--	-----------------------	------------------------------------

TW METALS SOLD SUITE 204 760 CONSTITUTION DR. EXTON, PA 19341		SHIP TO 235 TUBEWAY CAROL STREAM, IL 60188	TW METALS - CAROL STREAM
--	--	--	--------------------------

QUANTITY ORD	DESCRIPTION	QTY. SHIPPED	DATE SHIPPED
3,408 FT	METAL - 6061 ALUM TEMPER - T6 SPEC - AMS 4082P ASTM-B-210-04 AMS-WW-T-700/6B LENGTH - 12 FT LGTH TOL +.1250 IN -.0000 IN SHAPE - ROUND FINISH - STRAIGHT EXACT LENGTHS OD .3125 +.0030 -.0030 ID WALL .0580 +.0040 -.0040	3,552 FT	10/27/11



MECHANICAL PROPERTIES				
SAMPLE #	TENSILE STRENGTH (P.S.I.)	YIELD STRENGTH (P.S.I.)	ELONGATION IN 2 INCHES (%)	ROCKWELL HARDNESS
1	45,669	40,583	15	
				AVERAGE GRAIN SIZE (MM.)

EXPANSION TEST:	FLATTENING TEST:
MERCURIUS NITRATE TEST:	FLARE TEST:
MICRO EXAMINATION:	
Country of Mfg: USA	FAR BAA <input checked="" type="checkbox"/> Complies
Country of Mfg: USA	FAR TAA <input checked="" type="checkbox"/> Complies
DFARS BAA <input checked="" type="checkbox"/> Complies	Cannot Certify Compliance
Cannot Certify Compliance	Cannot Certify Compliance

NON-DESTRUCTIVE TESTS	
EDDY CURRENT TEST: PASS	
HYDROSTATIC PRESSURE TEST:	
ULTRASONIC TEST:	

ALLOY: 6061	HEAT:	TRACEABILITY #: 546273	RAW MATL VEND: pt18747 - Kaiser Aluminum
Si	Fe	Cu	Mn
0.40	0.15	0.80	1.20
0.35	0.25	0.15	0.40
0.05	0.15	0.04	0.15
Each	Tot.	Rem.	
Other - Elements Al			


We hereby certify that the foregoing results are correct. That the material complies with the requirements of the above specifications and purchase order and that the test reports represent the actual attributes of the items furnished on this order. During the manufacturing, testing and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employed a single boundary containment.

BY: Art Onyiah 10/27/11


KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

CERTIFIED TEST REPORT
<http://Certs.KaiserAluminum.com>



CUSTOMER PO NUMBER:		PT18747-1	
KAISER ORDER NUMBER:		LINE ITEM:	
312734		001	
WEIGHT SHIPPED:		QUANTITY:	
15627.000 LB		2790.000 PCS	
SHIP TO:		SOLD TO:	
PRECISION TUBE CO 287 WISSAHICKON AVENUE N. WALES, PA 19454 USA		PRECISION TUBE CO 287 WISSAHICKON AVENUE N. WALES, PA 19454 USA	
SHIP DATE:		KAISER LOT NUMBER:	
08/19/2011		50751 189	
BA NUMBER:		DIA/DIA/T/HKNS:	
003649		6061	
TEMPER:		LENGTH:	
O		14.020 FT	
PRODUCT DESCRIPTION: 1.312 OD X .085 WALL ESRT			



Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	YTS (KSI)	YTS (KSI)	%Elong In 2	HARDNESS	CONDUCT.	BRND
50751 189	0001	001	17.0	4.7	26.4	NA N/A	N/A	N/A
50751 189	0001	002	16.8	4.7	27.8	NA N/A	N/A	N/A
50751 189	0001	003	17.0	4.9	28.3	NA N/A	N/A	N/A
50751 189	0001	004	16.4	4.5	28.1	NA N/A	N/A	N/A
50751 189	0001	005	16.4	4.9	27.8	NA N/A	N/A	N/A
50751 189	0001	006	17.0	4.9	27.6	NA N/A	N/A	N/A
50751 189	0001	007	15.9	4.5	28.0	NA N/A	N/A	N/A
50751 189	0001	008	16.3	4.9	28.3	NA N/A	N/A	N/A
50751 189	0001	009	16.9	4.7	27.8	NA N/A	N/A	N/A
50751 189	0001	010	17.0	4.9	28.9	NA N/A	N/A	N/A
50751 189	0001	011	16.5	4.8	28.9	NA N/A	N/A	N/A
50751 189	0001	012	17.0	4.8	28.3	NA N/A	N/A	N/A
50751 189	0001	013	17.0	4.7	29.4	NA N/A	N/A	N/A
50751 189	0001	014	16.6	4.8	27.3	NA N/A	N/A	N/A
50751 189	0001	015	16.7	4.7	28.2	NA N/A	N/A	N/A
50751 189	0001	016	16.7	4.9	27.7	NA N/A	N/A	N/A

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgment form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Plant Serial: 00005624

Kaiser Order Number: 312734

Line Item: 001

Page 1 of 2

Ron Wall

Ron Wallis,

KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

Best in Class

Chemical Composition (wt%), Aluminum Remainder


LIMITS	SI	Fe	Cu	Mn	Kg	Cr	Zn	Ti	Pb	Bi	Zr	Ca	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	.0
F69521	.59	.28	.24	.05	.99	.06	.03	.02	.00	.00	.00	.01	.02
F69528	.62	.33	.24	.06	.99	.08	.05	.02	.00	.00	.00	.02	.03
F69285	.59	.25	.21	.06	.98	.06	.05	.02	.00	.00	.00	.01	.02

Applicable Requirements:

ASTM-B241-02 ASTM-B221-08 ASTM-B345-02 AMS-QQ-A-200/8 TYPE 1 UNS#96061 ACTUAL
CHEMISTRY Also conforms to EN 10204 3.1

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA



CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Ron Walls,

Ron Walls

Page 2 of 2

Line Item: 001

Kaiser Order Number: 312734

Plant Serial: 00005624

CERTIFIED TEST REPORT
<http://Certs.KaiserAluminum.com>

PuFA™

MILL TEST REPORT

Producer of Premium Stainless Steel Seamless Tubes

Purchaser: TW METALS-Cranbury		Certificate No.: 11-12-120	
Contract No.: TWM P.O.No.: M49260952		Date of Issue: 2011.12.20	
Commodity: Stainless Steel Seamless Tubes			
Specifications: ASTM A213-11a/ASME SA213-08/ASTM A269-10 EAW		Delivery Condition: OD Polished to 240 Grit	
Steel Grade	Heat Number	Lot Number	Dimensions
TP304/TP304L	YT10725	11-125	1" x 0.049" x 20'
Quantity	Pieces	Quantity (ft)	
50	1,000		
Chemical Composition by Weight (%)			
Element	C	Mn	P
Requirements	≤0.035	≤2.00	≤0.045
Ladle Analysis	0.025	0.72	0.038
Product Analysis	0.029	0.69	0.039
Mechanical Properties			
Test Item	Elongation (% in 2")	Tensile Strength (MPa)	Yield Strength (MPa)
Requirements	≥35	≥515	≥205
Test Results	61/62	610/620	270/280
Test Item	Reduction of Area Z (%)	Hardness	Cold Bend
Requirements	HRB ≤80	21%	e=0.09
Test Results	76/78	Passed	Passed
Test Item	Eddy Current Test	Air Underwater Pressure Test	Ultrasonic Test
Requirements	ASTM E 426	ASTM A262 E	End Cut
Test Results	Passed	OK	OK
Additional Remarks:			
(1) All tubes annealed to above 1900 Deg F and water quenched below 800 Deg F in 3 minutes			
(2) Tubes tested per ASTM A1016-11a			
(3) In Compliance with U.S. MIL-P-24691/3			
(4) In Compliance with EN 10204-3.1			
(5) Materials is NACE MR0103-2007 compliant			
(6) Materials is NACE MR0175/ISO 15156-2003 compliant			
(7) In Compliance with RoHS Directive 2008/35/EC			
(8) No weld repair performed			
(9) Free from mercury contamination			
(10) Billets melt and pipes/tubes manufactured in China			
(11) FAR BAA / DFARS BAA / FAR TAA: CANNOT CERTIFY COMPLIANCE			
(12) 100% PMI Tested			
We hereby certify that this report is true and correct.			
By: Shanghai PuFa Stainless Steel Pipe Factory			
Manager of Quality Control Department			
Shanghai PuFa Stainless Steel Pipe Factory			
59, Shuangye Road, Wanggang, New Pudong District, Shanghai, China			
PED Certified by APRAGAZ 10/CN/2260-0-Rev 0			